

224. Barr CC, Glaser JS, Blankenship G. Acute disc swelling in juvenile diabetes. Clinical profile and natural history of 12 cases. *Arch Ophthalmol* 1980;98(12):2185-92.
225. Johns KJ, Leonard-Martin T, Feman SS. The effect of panretinal photocoagulation on optic nerve cupping. *Ophthalmology* 1989;96(2):211-16.
226. Lee MS, Grossman D, Arnold AC, Sloan FA. Incidence of nonarteritic anterior ischemic optic neuropathy: Increased risk among diabetic patients. *Ophthalmology* 2011;118(5):959-63.
227. Song BJ, Aiello LP, Pasquale LR. Presence and risk factors for glaucoma in patients with diabetes. *Curr Diab Rep* 2016;16(12):124.
228. Luo XY, Tan NYQ, Chee ML, et al. Direct and indirect associations between diabetes and intraocular pressure: The Singapore Epidemiology of Eye Diseases Study. *Invest Ophthalmol Vis Sci* 2018;59(5):2205-11.
229. Shoshani Y, Harris A, Shoja MM, et al. Impaired ocular blood flow regulation in patients with open-angle glaucoma and diabetes. *Clin Exp Ophthalmol* 2012;40(7):697-705.
230. Amano S, Kaji Y, Oshika T, et al. Advanced glycation end products in human optic nerve head. *Br J Ophthalmol* 2001;85(1):52-55.
231. Heikes KE, Eddy DM, Arondekar B, Schlessinger L. Diabetes Risk Calculator: a simple tool for detecting undiagnosed diabetes and pre-diabetes. *Diabetes Care* 2008;31(5):1040-45.
232. Bang H, Edwards AM, Bomback AS, et al. Development and validation of a patient self-assessment score for diabetes risk. *Ann Intern Med* 2009;151(11):775-83.
233. Buijsse B, Simmons RK, Griffin SJ, Schulze MB. Risk assessment tools for identifying individuals at risk of developing type 2 diabetes. *Epidemiol Rev* 2011;33:46-62.
234. Klein R, Klein BE, Moss SE, et al. The Wisconsin Epidemiologic Study of Diabetic Retinopathy. III. Prevalence and risk of diabetic retinopathy when age at diagnosis is 30 or more years. *Arch Ophthalmol* 1984;102(4):527-32.
235. Klein R, Klein BE, Moss SE, Davis MD, DeMets DL. The Wisconsin Epidemiologic Study of Diabetic Retinopathy. II. Prevalence and risk of diabetic retinopathy when age at diagnosis is less than 30 years. *Arch Ophthalmol* 1984;102(4):520-26.
236. Kostraba JN, Dorman JS, Orchard TJ, et al. Contribution of diabetes duration before puberty to development of microvascular complications in IDDM subjects. *Diabetes Care* 1989;12(10):686-93.
237. Rand LI, Krolewski AS, Aiello LM, et al. Multiple factors in the prediction of risk of proliferative diabetic retinopathy. *N Engl J Med* 1985;313(23):1433-38.
238. Klein R, Klein BE, Moss SE, et al. Glycosylated hemoglobin predicts the incidence and progression of diabetic retinopathy. *JAMA* 1988;260(19):2864-71.
239. Liew G, Wong TY, Mitchell P, et al. Retinopathy predicts coronary heart disease mortality. *Heart* 2009;95(5):391-94.
240. Ojaimi E, Nguyen TT, Klein R, et al. Retinopathy signs in people without diabetes: The Multi-ethnic Study of Atherosclerosis. *Ophthalmology* 2011;118(4):656-62.
241. Gangaputra S, Almukhtar T, Glassman AR, et al. Comparison of film and digital fundus photographs in eyes of individuals with diabetes mellitus. *Invest Ophthalmol Vis Sci* 2011;52(9):6168-73.
242. Li HK, Danis RP, Hubbard LD, et al. Comparability of digital photography with the ETDRS film protocol for evaluation of diabetic retinopathy severity. *Invest Ophthalmol Vis Sci* 2011;52(7):4717-25.