

156. Dunlap FE, Mills OH, Tuley MR, Baker MD, Plott RT. Adapalene 0.1% gel for the treatment of acne vulgaris: its superiority compared to tretinoin 0.025% cream in skin tolerance and patient preference. *Br J Dermatol*. 1998;139(Suppl 52):17-22.
157. Kakita L. Tazarotene versus tretinoin or adapalene in the treatment of acne vulgaris. *J Am Acad Dermatol*. 2000;43:S51-S54.
158. Webster GF, Berson D, Stein LF, Fivenson DP, Tanghetti EA, Ling M. Efficacy and tolerability of once-daily tazarotene 0.1% gel versus once-daily tretinoin 0.025% gel in the treatment of facial acne vulgaris: a randomized trial. *Cutis*. 2001;67:4-9.
159. Galvin SA, Gilbert R, Baker M, Guibal F, Tuley MR. Comparative tolerance of adapalene 0.1% gel and six different tretinoin formulations. *Br J Dermatol*. 1998;139(Suppl 52):34-40.
160. Pedace FJ, Stoughton R. Topical retinoic acid in acne vulgaris. *Br J Dermatol*. 1971;84:465-469.
161. Christiansen JV, Gadborg E, Ludvigsen K, et al. Topical tretinoin, vitamin A acid (Aiolol) in acne vulgaris. A controlled clinical trial. *Dermatol*. 1974;148:82-89.
162. Cunliffe WJ, Caputo R, Dreno B, et al. Clinical efficacy and safety comparison of adapalene gel and tretinoin gel in the treatment of acne vulgaris: Europe and U.S. multicenter trials. *J Am Acad Dermatol*. 1997;36:S126-S134.
163. Krishnan G. Comparison of two concentrations of tretinoin solution in the topical treatment of acne vulgaris. *Practitioner*. 1976;216:106-109.
164. Cunliffe WJ, Dodman B, Ead R. Benzoyl peroxide in acne. *Practitioner*. 1978;220:479-482.
165. Fulton JE Jr, Farzad-Bakshandeh A, Bradley S. Studies on the mechanism of action to topical benzoyl peroxide and vitamin A acid in acne vulgaris. *J Cutan Pathol*. 1974;1:191-200.
166. Fyrand O, Jakobsen HB. Water-based versus alcohol-based benzoyl peroxide preparations in the treatment of acne vulgaris. *Dermatol*. 1986;172:263-267.
167. Mills OH Jr, Kligman AM, Pochi P, Comite H. Comparing 2.5%, 5%, and 10% benzoyl peroxide on inflammatory acne vulgaris. *Int J Dermatol*. 1986;25:664-667.
168. Mills O Jr, Thornsberry C, Cardin CW, Smiles KA, Leyden JJ. Bacterial resistance and therapeutic outcome following three months of topical acne therapy with 2% erythromycin gel versus its vehicle. *Acta Derm Venereol*. 2002;82:260-265.
169. Dubina MI, Fleischer AB Jr. Interaction of topical sulfacetamide and topical dapson with benzoyl peroxide. *Arch Dermatol*. 2009;145:1027-1029.
170. Parry MF, Rha CK. Pseudomembranous colitis caused by topical clindamycin phosphate. *Arch Dermatol*. 1986;122:583-584.
171. Yentzer BA, Ade RA, Fountain JM, et al. Simplifying regimens promotes greater adherence and outcomes with topical acne medications: a randomized controlled trial. *Cutis*. 2010;86:103-108.
172. Rosette C, Agan FJ, Mazzetti A, Moro L, Gerloni M. Cortexolone 17alpha-propionate (clascoterone) is a novel androgen receptor antagonist that inhibits production of lipids and inflammatory cytokines from sebocytes in vitro. *J Drugs Dermatol*. 2019;18:412-418.
173. Kircik LH. Efficacy and safety of azelaic acid (AzA) gel 15% in the treatment of post-inflammatory hyperpigmentation and acne: a 16-week, baseline-controlled study. *J Drugs Dermatol*. 2011;10:586-590.
174. Murase JE, Heller MM, Butler DC. Safety of dermatologic medications in pregnancy and lactation: part I. Pregnancy. *J Am Acad Dermatol*. 2014;70:401.e1-401.e14; quiz 15.
175. Ly S, Kamal K, Manjaly P, Barbieri JS, Mostaghimi A. Treatment of acne vulgaris during pregnancy and lactation: a Narrative review. *Dermatol Ther*. 2023;13:115-130.
176. Perret LJ, Tait CP. Non-antibiotic properties of tetracyclines and their clinical application in dermatology. *Australas J Dermatol*. 2014;55:111-118.
177. Barbieri JS, Bhate K, Hartnett KP, Fleming-Dutra KE, Margolis DJ. Trends in oral antibiotic prescription in dermatology, 2008 to 2016. *JAMA Dermatol*. 2019;155:290-297.
178. Centers for Disease Control and Prevention. Outpatient Antibiotic Prescriptions — United States, 2022. Updated November 15, 2025. Accessed January 18, 2024. <https://www.cdc.gov/antibiotic-use/data/report-2022.html>
179. Margolis DJ, Fanelli M, Kupperman E, et al. Association of pharyngitis with oral antibiotic use for the treatment of acne: a cross-sectional and prospective cohort study. *Arch Dermatol*. 2012;148:326-332.
180. Bartlett JG, Chang TW, Gurwith M, Gorbach SL, Onderdonk AB. Antibiotic-associated pseudomembranous colitis due to toxin-producing clostridia. *N Engl J Med*. 1978;298:531-534.
181. Carroll KC, Bartlett JG. Biology of *Clostridium difficile*: implications for epidemiology and diagnosis. *Annu Rev Microbiol*. 2011;65:501-521.
182. Sanchez GV, Fleming-Dutra KE, Roberts RM, et al. Core elements of outpatient antibiotic stewardship. *MMWR Recomm Rep*. 2016;65(6):1-12.
183. Nast A, Dréno B, Bettoli V, et al. European evidence-based (S3) guideline for the treatment of acne - update 2016 - short version. *J Eur Acad Dermatol Venereol*. 2016;30:1261-1268.
184. Oon HH, Wong SN, Aw DCW, Cheong WK, Goh CL, Tan HH. Acne management guidelines by the Dermatological Society of Singapore. *J Clin Aesthet Dermatol*. 2019;12:34-50.
185. Gold LS, Cruz A, Eichenfield L, et al. Effective and safe combination therapy for severe acne vulgaris: a randomized, vehicle-controlled, double-blind study of adapalene 0.1%-benzoyl peroxide 2.5% fixed-dose combination gel with doxycycline hyclate 100 mg. *Cutis*. 2010;85:94-104.
186. Leyden J, Thiboutot DM, Shalita AR, et al. Comparison of tazarotene and minocycline maintenance therapies in acne vulgaris: a multicenter, double-blind, randomized, parallel-group study. *Arch Dermatol*. 2006;142:605-612.
187. Tan J, Stein Gold L, Schlessinger J, et al. Short-term combination therapy and long-term relapse prevention in the treatment of severe acne vulgaris. *J Drugs Dermatol*. 2012;11:174-180.
188. Thiboutot DM, Shalita AR, Yamauchi PS, et al. Adapalene gel, 0.1%, as maintenance therapy for acne vulgaris: a randomized, controlled, investigator-blind follow-up of a recent combination study. *Arch Dermatol*. 2006;142:597-602.
189. Moon SH, Roh HS, Kim YH, Kim JE, Ko JY, Ro YS. Antibiotic resistance of microbial strains isolated from Korean acne patients. *J Dermatol*. 2012;39:833-837.
190. Toossi P, Farshchian M, Malekzad F, Mohtasham N, Kimyai-Asadi A. Subantimicrobial-dose doxycycline in the treatment of moderate facial acne. *J Drugs Dermatol*. 2008;7:1149-1152.
191. Ozolins M, Eady EA, Avery AJ, et al. Comparison of five antimicrobial regimens for treatment of mild to moderate inflammatory facial acne vulgaris in the community: randomized controlled trial. *Lancet*. 2004;364:2188-2195.
192. Arowojolu AO, Gallo MF, Lopez LM, Grimes DA. Combined oral contraceptive pills for treatment of acne. *Cochrane Database Syst Rev*. 2012;6:CD004425.