

- drug interactions of, [471t](#)
 - chloroquine, [1702t](#)
 - macrolides, [1155t](#)
 - mebendazole, [1703t](#)
 - metronidazole, [1705t](#)
 - PDE-5 inhibitors, [3060](#)
 - phenytoin, [2444](#)
 - praziquantel, [1712](#)
 - quinidine, [1706t](#)
 - quinine, [1712](#)
 - theophylline, [2444](#)
 - warfarin, [2444](#)
- for gastrinoma, [2985](#)
- for GERD, [296](#)
- for IC/BPS, [330](#)
- for peptic ulcer disease, [2443–2444](#), [2443t](#)
- as premedication for taxanes, [543](#)
- Cimino fistula, [2377](#)
- Cinacalcet, [723](#), [725](#), [2315](#)
- Cingulate cortex, [199](#), [199f](#)
- Cinnamates, [423](#)
- Cinnarizine, [3389](#)
- Ciprofloxacin
 - actions of, [1149](#), [1160](#), [1164t](#)
 - adverse effects of, [224](#), [784t](#), [1160](#), [1706t](#), [2584](#), [2586t](#)
 - for *Aeromonas* infections, [1248](#)
 - for anthrax, [S3](#)
 - for bite-wound infections, [1039t](#), [1126](#), [1127t](#)
 - for bronchiectasis prophylaxis, [2175–2176](#)
 - for *Campylobacter* infections, [1304](#)
 - for Carrión's disease, [1331t](#)
 - for chancroid, [1091t](#), [1244](#)
 - for cholera, [1308](#)
 - for clostridial infections, [1221t](#)
 - for community-acquired pneumonia, [947t](#), [1018t](#)
 - for diverticular disease, [2499](#)
 - drug interactions of, [1706t](#)
 - for enteric fever, [1295](#)
 - for gonococcal arthritis, [1043](#)