

6-Methylcoumarin, [422t](#)

3-Methylcrotonyl glycinuria, [3270t](#)

Methyldopa

adverse effects of, [277t](#), [787t](#), [788](#), [1875t](#), [2584](#), [2847t](#)

for hypertension, [2083t](#)

Methylene blue, [765](#), [784t](#)

5,10-Methylenetetrahydrofolate (5-MTHF), [767](#), [767t](#)

Methylenetetrahydrofolate reductase (MTHFR), [568f](#), [769](#)

Methylfolate trap, [768](#)

3-Methylglutaconic aciduria, [3270t](#)

2-Methyl-3-hydroxybutyryl-CoA dehydrogenase deficiency, [3271t](#)

Methylmalonate, serum, [774](#)

Methylmalonic acidemia/aciduria, [766](#), [3270t](#), [3271t](#)

Methylmalonyl CoA mutase deficiency, [766](#)

Methylnaltrexone, [79](#), [96](#), [2513](#)

7 α -Methyl-19-nortestosterone, [3023](#)

Methylone, [3577](#)

Methylphenidate

abuse of, [3574](#)

for depression, [82](#)

for fatigue, [81](#), [3474](#)

for narcolepsy, [208t](#), [210](#)

for opioid-induced drowsiness, [79](#)

Methylprednisolone

adverse effects of, [2744t](#), [2825t](#)

drug interactions of, [1703t](#)

for giant cell arteritis, [2812](#)

for granulomatosis with polyangiitis, [2808](#)

for Graves' ophthalmopathy, [2942](#)

for IBD, [2483](#)

for inflammatory myopathies, [2825t](#)

for MS, [3468](#), [3473](#)

for nausea and vomiting, [294t](#)

for neuromyelitis optica, [3478](#)

for optic neuritis, [223](#)

for PCP, [1695t](#)

for serum sickness, [797](#)

for SLE, [2744t](#), [2746](#)

for transplant rejection, [2330](#)